

# TRAMFLOC, INC.

*Water & Wastewater Treatment Equipment & Chemicals for Industry, Municipality & Mines*

P. O. Box 350, Tempe, AZ 85280-0350 Voice: 480-491-6895 Fax: 480-456-1664

water@tramfloc.com

www.tramfloc.com

## PHOSPHATE BLENDS FOR POTABLE WATER TREATMENT

- *ANSI / NSF Standard 60 Approved*
- *Available From Multiple Stocking Points*
- *Serving Municipalities, Water Companies, Districts, Food Plants*
- *Quality Service, Products, and Technical Expertise*

## ZINC ORTHOPHOSPHATES

<b>Product</b>	<b>Zn:PO4</b>	<b>Form</b>	<b>Drum Weight</b>	<b>IBC Weight</b>
Tramfloc® 1200	1:1	Liquid	570	2850
Tramfloc® 1201	1:1	Liquid	760	3800
Tramfloc® 1202	1:1	Liquid	590	2900
Tramfloc® 1203	1:2	Liquid	650	3200
Tramfloc® 1204	1:3	Liquid	620	3100
Tramfloc® 1205	1:3	Liquid	650	3200
Tramfloc® 1206	1:3	Liquid	700	3500
Tramfloc® 1207	1:3	Liquid	730	3600
Tramfloc® 1208	1:4	Liquid	650	3200
Tramfloc® 1209	1:5	Liquid	650	3200
Tramfloc® 1210	1:5	Liquid	640	3200
Tramfloc® 1211	1:5	Liquid	730	3600
Tramfloc® 1212	1:6	Liquid	670	3300
Tramfloc® 1213	1:6	Liquid	710	3500
Tramfloc® 1214	1:10	Liquid	610	3000
Tramfloc® 1215	2:1	Liquid	630	3100
Tramfloc® 1216G	1:1	Dry		
Tramfloc® 1217G	1:1	Dry		
Tramfloc® 1218G	1:3	Dry		
Tramfloc® 1219G	1:5	Dry		
Tramfloc® 1217AG	3:1	Dry		
Tramfloc® 1218BG	10:1	Dry		

## ORTHO-POLYPHOSPHATE BLENDS

<b>Product</b>	<b>Ortho/Poly Ratio</b>	<b>Form</b>	<b>Drum Weight</b>	<b>IBC Weight</b>
Tramfloc® 1239	1:1	Liquid	600	3000
Tramfloc® 1240	1:1	Liquid	640	3100
Tramfloc® 1241	1:3	Liquid	620	3100
Tramfloc® 1242	1:3	Liquid	620	3100
Tramfloc® 1243	1:9	Liquid	670	3300
Tramfloc® 1244	2:1	Liquid	610	3100
Tramfloc® 1245	9:1	Liquid	620	3100
Tramfloc® 1246G	1:1	Dry		
Tramfloc® 1247G	1:4	Dry		
Tramfloc® 1248G	1:4	Dry		
Tramfloc® 1249G	1:9	Dry		
Tramfloc® 1250G	1:3	Dry		
Tramfloc® 1251G	9:1	Dry		

## ORTHOPHOSPHATES

<b>Product</b>	<b>%PO4</b>	<b>Form</b>	<b>Drum Weight</b>	<b>IBC Weight</b>
Tramfloc® 1252	36	Liquid	560	3000
Tramfloc® 1253	37	Liquid	560	3000
Tramfloc® 1254	72	Liquid	720	3600
Tramfloc® 1255G	78	Dry		

## ZINC POLYPHOSPHATES

<b>Product</b>	<b>Zn:PO4 Ratio</b>	<b>Form</b>	<b>Drum Weight</b>	<b>IBC Weight</b>
Tramfloc® 1231	1:8	Liquid	600	3000
Tramfloc® 1232	1:1	Dry		
Tramfloc® 1233G	1:2	Dry		
Tramfloc® 1234G	1:3	Dry		
Tramfloc® 1235G	1:3	Dry		
Tramfloc® 1236G	1:10	Dry		
Tramfloc® 1237G	1:10	Dry		
Tramfloc® 1238G	3:1	Dry		

## POLYPHOSPHATE BLENDS

<b>Products</b>	<b>%PO4</b>	<b>Form</b>	<b>Drum Weight</b>	<b>IBC Weight</b>
Tramfloc® 1257	17	Liquid	600	3000
Tramfloc® 1258	29	Liquid	650	3200
Tramfloc® 1259	31	Liquid	650	3200
Tramfloc® 1260	33	Liquid	620	3100
Tramfloc® 1261	34	Liquid	770	3800
Tramfloc® 1262	37	Liquid	640	3200
Tramfloc® 1263G	76	Dry		
Tramfloc® 1264G	61	Dry		
Tramfloc® 1265G	65	Dry		
Tramfloc® 1266G	88	Dry		

### Notes:

1. Liquid products are available in bulk, tote bins (IBC), and 55 gallon drums.
2. Dry products are available in 50 lb. bags (40 bags per pallet) and 50 lb. pails (24 pails per pallet).

The information contained herein is accurate to the best of our knowledge. However, data, safety standards, and government regulations are subject to change, and the conditions of handling use, or misuse of the products is beyond our control. Tramfloc, Inc. makes no warranty, whether expressed or implied, including any warranties of merchantability, and fitness for a particular purpose. Tramfloc, Inc. also disclaims all liability for reliance upon the completeness or confirming accuracy of any information included herein. Users should satisfy themselves that they are aware of all current data relevant to their particular and specific application.